Lilly

SAFETY DATA SHEET

1. Identification

Product identifier Alimta for Injection

Other means of identification

Item Code VL7623, VL7640

L-Glutamic acid, N-[4-[2-(2-amino-4,7-dihydro-4-oxo-1H-pyrrolo[2,3-d]p **Synonyms**

yrimidin-5-yl)ethyl]benzoyl]-, disodium salt, heptahydrate

Recommended use Pharmaceutical None known. Recommended restrictions

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Eli Lilly and Company Company name Lilly Corporate Center **Address** Indianapolis, IN 46285

United States

Telephone Phone: +1-317-276-2000

E-mail lilly_msds@lilly.com

CHEMTREC: **Emergency phone number** +1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Germ cell mutagenicity Category 2 Reproductive toxicity Category 1A Specific target organ toxicity, repeated Category 1

exposure

Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

Hazard statement

Causes skin irritation. H315

Suspected of causing genetic defects. H341 H360 May damage fertility or the unborn child.

Causes damage to organs (Blood) through prolonged or repeated exposure. H372

Precautionary statement

Prevention

Obtain special instructions before use. P201

Do not breathe dust. P260

Wash thoroughly after handling. P264

Use personal protective equipment as required. P281

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Not available. Storage Disposal Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: Alimta for Injection 1/7

5082 Version #: 06 Revision date: 06-20-2017 Issue date: 11-20-2014

3. Composition/information on ingredients

None.

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Pemetrexed Disodium Heptahydrate	disodium (2S)-2-[({4-[2-(2-amino-4-oxo-4,7-dihydro-3H-pyrrolo[2,3-d]pyrimidin-5-yl)ethyl]phen yl}carbonyl)amino]pentanedioate hydrate L-Glutamic acid, N-[4-[2-(2-amino-4,7-dihydro-4-oxo-1H-py rrolo[2,3-d]pyrimidin-5-yl)ethyl]benzoyl]-, disodium salt, heptahydrate	357166-29-1	50
Composition comments	Remaining components of this product are non-habelow reportable levels.	zardous and/or are prese	ent at concentrations

4. First-aid measures

Inhalation Remove to fresh air. If breathing stops, provide artificial respiration. Get medical attention

immediately.

Wash off immediately with plenty of water. Continue to rinse for at least 15 minutes. Immediately Skin contact

take off all contaminated clothing. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under Eye contact

the eyelids, for at least 15 minutes. Get medical attention.

If conscious, give the victim plenty of water to drink. Never give anything by mouth to a victim who Ingestion

is unconscious or is having convulsions. Call a physician immediately.

Most important

symptoms/effects, acute and

delayed

Causes skin irritation. May cause redness and pain. Decreased fetal weight and viability have been reported in animal studies with pemetrexed disodium. The active ingredient, pemetrexed, is a folic acid antimetabolite, this class of compounds is known to cause developmental effects. Dilute solutions of pemetrexed disodium are not expected to be irritating to the eyes or skin. Effects of overexposure to pemetrexed disodium may include bone marrow suppression resulting in decreased blood cell counts, inflammation of mucous membranes, skin rash, fatigue, fetal effects,

and reproductive tissue changes.

Indication of immediate medical attention and special treatment needed

If overdose occurs, general supportive measures should be instituted as deemed necessary by the treating physician. Management of pemetrexed overdose should include consideration of the use of leucovorin or thymidine rescue.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Carbon dioxide, dry chemical or water.

None known.

Specific hazards arising from

the chemical

Hazardous decomposition products formed under fire conditions.

Special protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing, gloves and eye/face protection. See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up Use double pairs of latex disposable gloves which must be disposed of within an hour, goggles, impermeable body covering, and approved HEPA-filtered or supplied-air respirator. If material spills occur in production area, use either wet clean-up methods, ensuring that no airborne dusts or aerosols are formed, or appropriate vacuum cleaners having high efficiency particulate air (HEPA) filters. It is recommended that areas handling final finished product have cytotoxic spill kits available. Spill kits should include impermeable body covering, shoe covers, latex and utility latex gloves, goggles, approved HEPA respirator, disposable dust pan and scoop, absorbent towels, spill control pillows, disposable sponges, sharps container, disposable garbage bag, and a hazardous waste label.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: Alimta for Injection SDS US 5082 Version #: 06 Revision date: 06-20-2017 Issue date: 11-20-2014

7. Handling and storage

Precautions for safe handling Provide adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash hands thoroughly

after handling. See Section 8 of the SDS for Personal Protective Equipment.

Conditions for safe storage, including any incompatibilities Storage temperature: between 20 and 25 °C (68 to 77 °F). Excursions permitted from 15 to 30 C

(59 to 86 F). [see USP]. Premetrexed is not light sensitive. Keep in original container.

8. Exposure controls/personal protection

Occupational exposure limits

Lilly (LEG) Components	Туре	Value	Form	
Pemetrexed Disodium Heptahydrate (CAS 357166-29-1)	Excursion Limit	3.6 ug/m3	30 minutes	
,	TWA (12hrs)	0.3 ug/m3		
	TWA (8hrs)	0.3 ug/m3		
-1	No biological avecause limits material for the	in ava dia at/a)		

Biological limit values Exposure guidelines

No biological exposure limits noted for the ingredient(s).

For appropriate handling precautions in specific laboratory or manufacturing operations, consultation with an occupational health and safety or technical services representative is recommended.

In clinical health care settings, follow OSHA Technical Manual, Section VI, Chapter 2 - Controlling Occupational Exposure to Hazardous Drugs. This chapter covers protection of employees during cytotoxic drug preparation, administration, disposal, and the handling of human waste products potentially contaminated with cytotoxic drug substances.

GENERAL: For all work environments, wear eye protection and ELIMINATE hand-to-eye contact. Avoid skin contact, wear gloves, and take other appropriate precautions.

Appropriate engineering controls

Extensive local exhaust, ventilated enclosure (HEPA-filtered balance enclosure, fume hood, or

Class II or III vertical flow biosafety cabinet), or enclosed process equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear goggles/face shield.

Skin protection

Respiratory protection

Chemical-resistant gloves and impermeable body covering to minimize skin contact. Hand protection

Chemical-resistant gloves and impermeable body covering to minimize skin contact. If handled in Other

a ventilated enclosure, as in a laboratory setting, respirator and goggles or face shield may not be

required. Safety glasses are always required.

When the exposure guidelines may be exceeded, use an approved HEPA-filtered or supplied-air respirator. Select respirator with appropriate protection factor. Select appropriate respirator for physical characteristics of material. Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe working limits of the respirator.

Thermal hazards Not available.

General hygiene considerations

In production settings, airline-supplied, hood-type respirators are preferred. Shower and change

clothing if skin contact occurs.

9. Physical and chemical properties

Appearance

Solid. **Physical state**

Solid. (Lyophilized). **Form**

Color White. Odorless Odor

Odor threshold No data available. No data available. No data available. Melting point/freezing point No data available. Initial boiling point and boiling

range

Not applicable. Flash point **Evaporation rate** No data available. Flammability (solid, gas) No test data available.

5082 Version #: 06 Revision date: 06-20-2017 Issue date: 11-20-2014

Material name: Alimta for Injection

SDS US

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

No data available.

Flammability limit - upper

(%)

No data available.

Explosive limit - lower (%) No data available.

Explosive limit - upper (%) No data available. No data available. Vapor pressure Vapor density No data available. No data available. Relative density

Solubility(ies)

Solubility (water) 89.4 g/l, (pH 9), (as free acid)

101.5 g/l, (pH 7), (as free acid)

Partition coefficient

(n-octanol/water)

< 1.000

No data available. **Auto-ignition temperature Decomposition temperature** No data available. **Viscosity** Not applicable.

Other information

Density No data available. **Explosive properties** Not explosive

The substance or mixture is not classified as oxidizing. Oxidizing properties

Percent volatile No data available. VOC No data available.

10. Stability and reactivity

Not water reactive. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid None known.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

Hazardous decomposition products formed under fire conditions.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Components **Species Test Results**

Pemetrexed Disodium Heptahydrate (CAS 357166-29-1)

Acute Dermal

LD Rabbit > 1000 mg/kg

Oral

LD Rat > 500 mg/kg, (as free base)

Other

LD50 Rat > 1574 mg/kg, Intravenous (female),

Convulsions. Mortality.

1332 mg/kg, Intravenous (male),

Convulsions.

Skin corrosion/irritation Rabbit: Irritating to skin.

5082 Version #: 06 Revision date: 06-20-2017 Issue date: 11-20-2014

Serious eye damage/eye Rabbit: Mild eye irritation. (cleared within 7 days)

Based on available data, the classification criteria are not met. irritation

Material name: Alimta for Injection

SDS US

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitizationNo test data available. Skin rash has been reported in patients not pretreated with a cortiosteroid

(dexamethasone).

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Clastogenic in the in vivo micronucleus assay in the mouse. Results in genetic toxicity assays (in

vitro): Negative

Carcinogenicity Not listed by IARC, NTP, ACGIH or OSHA.

Due to lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Administration to pregnant mice resulted in decreased fetal weight, incomplete ossification of

some skeletal structures, and cleft palate. Male reproductive toxicity characterized by reduced

fertility, hypospermia, and testicular atrophy was observed when given to male mice.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Causes damage to organs (Blood) through prolonged or repeated exposure. Decreased testes weights with decreased sperm production and decreased red blood cells were reported in mice with intraperitoneal exposure for 6 weeks. Intravenous exposure in dogs for up to 6 months resulted in mortality, decreased white blood cell counts, mild anemia, and intestinal lesions.

Aspiration hazard Not applicable.

Further information Patients are instructed to take folic acid and vitamin B12 to reduce treatment related toxicity.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Components		Species	Test Results			
Pemetrexed Disodium Heptahydrate (CAS 357166-29-1)						
	EC50	Respiration inhibition of activated sludge	> 1000 mg/l, 3 h (highest concentration tested) (as free acid) (OECD 209)			
	LOEC	Midge (Chironomous riparius)	> 100 mg/kg, 28 d (highest concentration tested) (free acid) (OECD 218)			
	NOEC	Midge (Chironomus riparius)	100 mg/kg, 28 d (highest concentration tested) (free acid) (OECD 218)			
Aquatic						
Algae	EbC50	Algae (Pseudokirchneriella subcapitata)	17 mg/l, 72 h (as free acid) (OECD 201)			
	ErC50	Algae (Pseudokirchneriella subcapitata)	63 mg/l, 72 h (as free acid) (OECD 201)			
	LOEC	Algae (Pseudokirchneriella subcapitata)	27 mg/l (growth rate) (as free acid) (OECD 201)			
			11 mg/l (yield) (as free acid) (OECD 201)			
	NOEC	Algae (Pseudokirchneriella subcapitata)	11 mg/l (growth rate) (as free acid) (OECD 201)			
			4 mg/l (yield) (as free acid) (OECD 201)			
Crustacea	EC50	Daphnia magna	462 mg/l, 48 h (as free acid) (OECD 202)			
	LOEC	Daphnia magna	2.1 mg/l, 21 d (reproduction) (as free acid) (OECD 211)			
	NOEC	Daphnia magna	1.2 mg/l, 21 d (reproduction) (as free acid) (OECD 211)			

Material name: Alimta for Injection

SDS US

Components		Species	Test Results
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 1099.6 mg/l, 96 h (highest concentration tested) (as free acid) (OECD 203)
	LOEC	Fathead Minnow (Pimephales promelas)	> 13 mg/l (embryo + 28 days post hatch) (highest concentration tested) (as free acid) (OECD 210)
	NOEC	Fathead Minnow (Pimephales promelas)	13 mg/l (embryo + 28 days post hatch) (highest concentration tested) (as free acid) (OECD 210)

Persistence and degradability Stable in water: less than 10% hydrolysis in pH 4, 7, 9 buffers at 50C (OECD 105)

Not ready biodegradable: only 20% of theoretical released as CO2 over 29 days (OECD 301) Degradable in sewage sludge: DT50 < 1 day; numerous degradation peaks observed (OECD 302) Degradable in water-sediment systems: DT50 < 0.5 days, major degradation products degraded over 100 day study (OECD 308)

Bioaccumulative potentialNo data available on bioaccumulation. Potential to bioaccumulate is low.

Partition coefficient n-octanol / water (log Kow)

Pemetrexed Disodium Heptahydrate < 1 (HPLC) (estimation) (OECD 117)

Mobility in soil No data available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions To avoid accidental exposure due to waste handling, place waste residue in a segregated, sealed

plastic container. Used syringes, needles, and sharps should not be crushed, clipped, or

recapped, but placed directly into an approved sharps container. Dispose of any cleanup materials and waste residue according to all applicable laws and regulations, e.g., secure chemical landfill

disposal.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

ioi rioganatory illioiniano.

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

CERCLA/SARA Hazardous Substances - Not applicable.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Material name: Alimta for Injection sps us

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryNo

16. Other information, including date of preparation or last revision

Issue date 11-20-2014 **Revision date** 06-20-2017

Version # 06

Lilly Lab Code Health: 2

Fire: 1

Reactivity: 0 Special 1: R

List of abbreviations LAEG: Lilly Aquatic Exposure Guideline LEG: Lilly Exposure Guideline LOEC: Lowest Observed

Effect Concentration NOEC: No Observed Effect Concentration TWA: Time Weighted Average

Disclaimer As of the date of issuance, we are providing available information relevant to the handling of this

material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS MATERIAL SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact:

Eli Lilly and Company Hazard Communication +1-317-651-9533

Revision information Hazard(s) identification: Hazard statement

Exposure controls/personal protection: Exposure guidelines

Exposure controls/personal protection: General hygiene considerations

Physical & Chemical Properties: Multiple Properties

GHS: Classification

Material name: Alimta for Injection SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).