

# SAFETY DATA SHEET

Revision date: 25-Jul-2016

Version: 1.0

Page 1 of 9

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING Product Identifier

Material Name: Bumetanide Injection, USP (Hospira Inc.)

Trade Name:BuChemical Family:Su

Bumetanide Injection, USP Sulfonamide

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Intended Use: Pharmaceutical product used as diuretic

Details of the Supplier of the Safety Data Sheet Hospira, A Pfizer Company 275 North Field Drive Lake Forest, Illinois 60045 1-800-879-3477

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com

### 2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture GHS - Classification Not classified as hazardous

Label Elements

Signal Word:

**Hazard Statements:** 

Not Classified Not classified in accordance with international standards for workplace safety.

Other Hazards Note:

No data available This document has been prepared i

This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

### **3. COMPOSITION / INFORMATION ON INGREDIENTS**

### Hazardous

CAS Number	EU	GHS Classification	%
	EINECS/ELINCS		
	List		
28395-03-1	249-004-6	Not Listed	0.025
		EINECS/ELINCS List	EINECS/ELINCS List

Hospira UK Limited Horizon Honey Lane Hurley Maidenhead, SL6 6RJ United Kingdom Emergency telephone number: International CHEMTREC (24 hours): +1-703-527-3887

### SAFETY DATA SHEET

### Material Name: Bumetanide Injection, USP (Hospira Inc.) Revision date: 25-Jul-2016

3. COMPOSITION / INFORMATION ON INGREDIENTS				
SODIUM HYDROXIDE	1310-73-2	215-185-5	Skin Corr. 1A (H314)	**
Edetate disodium	139-33-3	205-358-3	Not Listed	*
BENZYL ALCOHOL	100-51-6	202-859-9	Acute Tox. 4 (H302)	1
			Acute Tox. 4 (H332)	

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Ammonium Acetate	631-61-8	211-162-9	Not Listed	*
Water for Injection	7732-18-5	231-791-2	Not Listed	*
SODIUM CHLORIDE	7647-14-5	231-598-3	Not Listed	*

### **Additional Information:**

\* Proprietary

\*\* to adjust pH

Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety. In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

### For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

Description of First Aid Measures Eye Contact:	Rinse thoroughly with plenty of water, also under the eyelids. If irritation occurs or persists, get medical attention.
Skin Contact:	Wash off immediately with soap and plenty of water If skin irritation persists, call a physician.
Ingestion:	Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.
Inhalation:	Move to fresh air. If discomfort occurs, get medical attention.
Most Important Symptoms and Effe Symptoms and Effects of Exposure: Medical Conditions Aggravated by Exposure:	cts, Both Acute and Delayed For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information. None known
Indication of the Immediate Medical Notes to Physician:	Attention and Special Treatment Needed None
5. FIRE FIGHTING MEASURE	S

Special Hazards Arising from the S	Substance or Mixture
Hazardous Combustion Products:	Formation of toxic gases is possible during heating or fire.

As for primary cause of fire.

Fire / Explosion Hazards: Not applicable

#### Advice for Fire-Fighters

**Extinguishing Media:** 

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

#### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containme	ent and Cleaning Up
Measures for Cleaning /	Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Clean spill
Collecting:	area thoroughly.
Additional Consideration for Large Spills:	Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

## 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Avoid breathing vapor or mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

#### Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions:	Store as directed by product packaging.
Incompatible Materials:	None known
Specific end use(s):	Pharmaceutical drug product

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

### SODIUM HYDROXIDE

ACGIH Ceiling Threshold Limit:	2 mg/m <sup>3</sup>
Australia PEAK	2 mg/m <sup>3</sup>
Austria OEL - MAKs	2 mg/m <sup>3</sup>
Bulgaria OEL - TWA	2.0 mg/m <sup>3</sup>
Czech Republic OEL - TWA	1 mg/m <sup>3</sup>
Estonia OEL - TWA	1 mg/m <sup>3</sup>
France OEL - TWA	2 mg/m <sup>3</sup>
Greece OEL - TWA	2 mg/m <sup>3</sup>
Hungary OEL - TWA	2 mg/m <sup>3</sup>
Japan - OELs - Ceilings	2 mg/m <sup>3</sup>
Latvia OEL - TWA	0.5 mg/m <sup>3</sup>
OSHA - Final PELS - TWAs:	2 mg/m <sup>3</sup>
Poland OEL - TWA	0.5 mg/m <sup>3</sup>
Slovakia OEL - TWA	2 mg/m <sup>3</sup>
Slovenia OEL - TWA	2 mg/m <sup>3</sup>
Sweden OEL - TWAs	1 mg/m <sup>3</sup>
Switzerland OEL -TWAs	2 mg/m <sup>3</sup>
SODIUM CHLORIDE	
Latvia OEL - TWA	5 mg/m <sup>3</sup>
Lithuania OEL - TWA	5 mg/m <sup>3</sup>

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

BENZYL ALCOHOL	
Pfizer OEL TWA-8 Hr:	10 ppm
Bulgaria OEL - TWA	5.0 mg/m <sup>3</sup>
Czech Republic OEL - TWA	40 mg/m <sup>3</sup>
Finland OEL - TWA	10 ppm
	45 mg/m <sup>3</sup>
Latvia OEL - TWA	5 mg/m³
Lithuania OEL - TWA	5 mg/m <sup>3</sup>
Poland OEL - TWA	240 mg/m <sup>3</sup>

The purpose of the Occupational Exposure Band (OEB) classification system is to separate substances into different Hazard categories when the available data are sufficient to do so, but inadequate to establish an Occupational Exposure Limit (OEL). The OEB given is based upon an analysis of all currently available data; as such, this value may be subject to revision when new information becomes available.

### Bumetnide

Pfizer Occupational Exposure	OEB 4 (control exposure to the range of 1ug/m <sup>3</sup> to <10ug/m <sup>3</sup> )
Band (OEB):	

#### **Exposure Controls**

Engineering Controls:	Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.
Personal Protective Equipment:	Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).
Hands:	Impervious disposable gloves (e.g. Nitrile, etc.) (double recommended) if skin contact with drug product is possible and for bulk processing operations. (Protective gloves must meet the standards in accordance with EN374, ASTM F1001 or international equivalent.)
Eyes:	Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the standards in accordance with EN166, ANSI Z87.1 or international equivalent.)
Skin:	Impervious disposable protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations. (Protective clothing must meet the standards in accordance with EN13982, ANSI 103 or international equivalent.)
Respiratory protection:	Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a full mask, P3 filter). (Respirators must meet the standards in accordance with EN136, EN143, ASTM F2704-10 or international equivalent.)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Odor:	No data available.
Molecular Formula:	Mixture
Solvent Solubility: Water Solubility: pH: Melting/Freezing Point (°C): Boiling Point (°C): Partition Coefficient: (Method, p Bumetnide	No data available Soluble No data available. No data available No data available. H, Endpoint, Value)

Color: Odor Threshold: Molecular Weight: Colorless to light yellow No data available. Mixture

9. PHYSICAL AND CHEMICAL PROPERTIES

No data available BENZYL ALCOHOL

### Page 5 of 9 Version: 1.0

No data available.	
No data available	
Flammablity: Autoignition Temperature (Solid) (°C):	
Flammability (Solids):	
	No data available No data available
Upper Explosive Limits (Liquid) (% by Vol.):	
	No data available No data available No data available No data available No data available

### **10. STABILITY AND REACTIVITY**

Lower Explosive Limits (Liquid) (% by Vol.):

Reactivity: Chemical Stability:	No data available Stable under normal conditions of use.
Possibility of Hazardous Reactions	
Oxidizing Properties:	None
Conditions to Avoid:	None known
Incompatible Materials:	None known
Hazardous Decomposition	Thermal decomposition products include oxides of carbon, nitrogen, and sulfur.
Products:	

### 11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects General Information:	The information included in this section describes the potential hazards of the individual ingredients.
Known Clinical Effects:	The most common adverse effects seen during clinical use of this drug include muscle cramps, headache, dizziness, nausea, decrease in blood pressure (hypotension).

No data available

### Acute Toxicity: (Species, Route, End Point, Dose)

### Bumetnide

Rat	Ora	al	LD50	>	6000	mg/kg
Mouse	Э	Oral	LD50	) 4	1625m	g/kg

**11. TOXICOLOGICAL INFORMATION** 

Rabbit Oral LD50 350mg/kg Rat Intravenous LD50 > 200mg/kg

### **BENZYL ALCOHOL**

RatOralLD 501230 mg/kgMouseOralLD 501360mg/kgRabbitDermalLD 502gm/kg

#### SODIUM CHLORIDE

RatSub-tenon injection (eye)LC50/1hr> 42 g/m³RatOralLD 503g/kgMouseOralLD 504g/kgRabbitDermalLD 50> 10g/kg

#### Edetate disodium

Rat Oral LD50 2000-2200 mg/kg

### Irritation / Sensitization: (Study Type, Species, Severity)

#### SODIUM CHLORIDE

Skin Irritation Rabbit Mild Eye Irritation Rabbit Mild

#### Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

#### Bumetnide

 Reproductive & Fertility
 Rat
 Oral100 mg/kg/day
 NOAEL
 No effects at maximum dose

 Embryo / Fetal Development
 Rat
 Oral 30 mg/kg/day
 NOAEL
 Not Teratogenic, Fetotoxicity

 Embryo / Fetal Development
 Rabbit
 Oral 0.03 mg/kg/day
 NOAEL
 Not Teratogenic, Fetotoxicity

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Bumetnide Bacterial Mutagenicity (Ames) Salmonella Negative

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### Bumetnide

18 Month(s) Female Rat Oral 60 mg/kg/day LOEL Mammary gland, Benign tumors 18 Month(s) Female Rat Oral 60 mg/kg/day NOAEL None identified

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

### **12. ECOLOGICAL INFORMATION**

Environmental Overview: Environmental properties have not been investigated.

#### Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

### SAFETY DATA SHEET

Material Name: Bumetanide Injection, USP (Hospira Inc.) Revision date: 25-Jul-2016

### **BENZYL ALCOHOL**

Fathead Minnow NPDES	LC-50 96	Hours	460 - 770 m	ng/L
Bluegill NPDES LC-50	96 Hours	10 mg/L	-	
Daphnia Magna (Water Flea)	Surrogate	ErC50	48 Hours	23 - 400 mg/L
Persistence and Degradabil	ity: No	o data avai	lable	
Bio-accumulative Potential:	INC	o data avai	lable	
Mobility in Soil:	N	o data avai	lahla	
		J uala avai		

### 13. DISPOSAL CONSIDERATIONS

```
Waste Treatment Methods:
```

Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

### **14. TRANSPORT INFORMATION**

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

### **15. REGULATORY INFORMATION**

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Bumetnide	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	249-004-6
Ammonium Acetate CERCLA/SARA 313 Emission reporting	Not Listed

Page 8 of 9 Version: 1.0

15. REGULATORY INFORMATION	
CERCLA/SARA Hazardous Substances	5000 lb
and their Reportable Quantities:	2270 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	211-162-9
SODIUM HYDROXIDE	
CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances	1000 lb
and their Reportable Quantities:	454 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling	Schedule 5
for Drugs and Poisons:	Schedule 6
EU EINECS/ELINCS List	215-185-5
Edetate disodium	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	205-358-3
Water for Injection	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the	Present
obligations of Register:	T TOOCHL
EU EINECS/ELINCS List	231-791-2
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-598-3
BENZYL ALCOHOL	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
•	Present
Australia (AICS): EU EINECS/ELINCS List	
EU EINEGƏ/ELINGƏ LÍSI	202-859-9

# **16. OTHER INFORMATION**

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed Skin corrosion/irritation-Cat.1A; H314 - Causes severe skin burns and eye damage Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled

Data Sources:	Pfizer proprietary drug development information. Publicly available toxicity information.
Revision date:	25-Jul-2016 Product Stewardship Hazard Communication
Prepared by:	Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet