SAFETY DATA SHEET

Product Name: Metoprolol Tartrate Injection

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Name And Address	Hospira, Inc. 275 North Field Drive Lake Forest, Illinois 60045 USA
Emergency Telephone	CHEMTREC: North America: 800-424-9300; International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418
Hospira, Inc., Non-Emergency	224 212-2000
Product Name	Metoprolol Tartrate Injection
Synonyms	(±)-1-(isopropylamino)-3-[*p*-(2-methoxyethyl) phenoxy]-2-propanol (2:1) dextro-tartrate salt

2. HAZARD(S) IDENTIFICATION

Emergency Overview

Metoprolol Tartrate Injection contains metoprolol tartrate, a selective inhibitor of beta-adrenergic receptors that is used in the management of hypertension and angina. In the workplace, this material should be considered potentially irritating to the eyes and respiratory tract. Based on clinical use, potential target organs include the cardiovascular system, respiratory system, and nervous system.

U.S. OSHA GHS Classification

Physical Hazards	**Hazard Class**	**Hazard Category**
	Not Classified	Not Classified

Health Hazards	**Hazard Class**	**Hazard Category**
	Not Classified	Not Classified

Label Element(s)

Pictogram	NA
Signal Word	NA
Hazard Statement(s)	NA
Precautionary Statement(s)	
Prevention	Do not breathe vapor or spray Wash hands thoroughly after handling
Response	Get medical attention if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name Metoprolol Tartrate
Chemical Formula $(C_{15}H_{25}NO_3)_2 \cdot C_4H_6O_6$

Component	Approximate Percent by Weight	CAS Number	RTECS Number
Metoprolol Tartrate	0.1	56392-17-7	UB7450100

Non-hazardous ingredients include Water for Injection. Hazardous ingredients present at less than 1% include sodium chloride.

4. FIRST AID MEASURES

Eye Contact Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Skin Contact Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Inhalation Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

Ingestion Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability None anticipated for this aqueous product.

Fire & Explosion Hazard None anticipated for this aqueous product.

Extinguishing Media As with any fire, use extinguishing media appropriate for primary cause of fire such as carbon dioxide, dry chemical extinguishing powder or foam.

Special Fire Fighting Procedures No special provisions required beyond normal firefighting equipment such as flame and chemical resistant clothing and self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal Isolate area around spill. Put on suitable protective clothing and equipment as specified by site spill control procedures. Absorb the liquid with suitable material and clean affected area with soap and water. Dispose of spill materials according to the applicable federal, state, or local regulations.

7. HANDLING AND STORAGE

Handling No special handling required for hazard control under conditions of normal product use.

Storage No special storage required for hazard control. For product protection, follow storage recommendations noted on the product case label, the primary container label, or the product insert.

Special Precautions No special precautions required for hazard control.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

	Exposure Limits			
Component	**OSHA-PEL**	**ACGIH-TLV**	**AIHA WEEL**	**Hospira EEL**
Metoprolol Tartrate	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit
ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value.
AIHA WEEL: Workplace Environmental Exposure Level
EEL: Employee Exposure Limit.
TWA: 8-hour Time Weighted Average.

Respiratory Protection Respiratory protection is normally not needed during intended product use. However, if the generation of dusts or aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended under conditions where airborne dust or aerosol concentrations are not expected to be excessive. For uncontrolled release events, or if exposure levels are not known, provide respirators that offer a high protection factor such as a powered air purifying respirator or supplied air. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions require respirator use. Personnel who wear respirators should be fit tested and approved for respirator use as required.

Skin Protection If skin contact with the product formulation is likely, the use of latex or nitrile gloves is recommended.

Eye Protection Eye protection is normally not required during intended product use. However, if eye contact is likely to occur, the use of chemical safety goggles (as a minimum) is recommended.

Engineering Controls Engineering controls are normally not needed during the normal use of this product.

9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State	Clear, colorless solution
Odor	NA
Odor Threshold	NA
pH	A 2% solution in water has a pH of between 6.0 and 7.0
Melting point/Freezing Point	NA
Initial Boiling Point/Boiling Point Range	NA
Flash Point	NA
Evaporation Rate	NA
Flammability (solid, gas)	NA
Upper/Lower Flammability or Explosive Limits	NA
Vapor Pressure	NA
Vapor Density (Air =1)	NA
Relative Density	NA
Solubility	Metoprolol tartrate is very soluble in water; freely soluble in methylene chloride, in chloroform, and in alcohol; slightly soluble in acetone; and insoluble in ether.
Partition Coefficient: n-octanol/water	NA
Auto-ignition Temperature	NA
Decomposition Temperature	NA
Viscosity	NA

10. STABILITY AND REACTIVITY

Reactivity	Not determined.
Chemical Stability	Stable under standard use and storage conditions.
Hazardous Reactions	Not determined
Conditions to Avoid	Not determined
Incompatibilities	Not determined
Hazardous Decomposition Products	Not determined. During thermal decomposition, it may be possible to generate irritating vapors and/or toxic fumes of carbon oxides (COx) and nitrogen oxides (NOx).
Hazardous Polymerization	Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity - Not determined for the product formulation. Information for the active ingredient is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Metoprolol Tartrate	100	LD50	Oral	5500 3090-4670 1500 1158-2460 604 1090	mg/kg mg/kg mg/kg mg/kg mg/kg mg/kg	Rat Rat Mouse Mouse Rabbit Dog
Metoprolol Tartrate	100	LD50	Intravenous	90 84 28.7	mg/kg mg/kg mg/kg	Rat Mouse Rabbit

LD 50: Dosage that produces 50% mortality

Occupational Exposure Potential	Information on the absorption of this product via inhalation or skin contact is not available. Avoid liquid aerosol generation and skin contact.
Signs and Symptoms	None anticipated from normal handling of this product. In clinical use, adverse effects of metoprolol are generally mild and transient. The most common adverse effects are dizziness, sedation, tiredness, insomnia and gastric upset. Shortness of breath, bradycardia, hypotension, angina, palpitation, insomnia, nausea, headache, skin rash, hepatitis and non-specific hepatic dysfunction muscle pain, alopecia, mental confusion, short-term memory loss, reversible psychosis and depression, and cold extremities have also been reported. Bronchoconstriction, wheezing and dyspnea have occurred in patients with a history of asthma that received doses of 100 mg or more. Congestive heart failure can be precipitated by administration of beta-blockers in patients with inadequate myocardial function. Overdose may cause bradycardia, hypotension, bronchospasm, acute cardiac failure and death.
Aspiration Hazard	None anticipated from normal handling of this product.
Dermal Irritation/Corrosion	None anticipated from normal handling of this product.
Ocular Irritation/Corrosion	None anticipated from normal handling of this product. However, inadvertent contact of this product with eyes may produce irritation with redness and tearing.
Dermal or Respiratory Sensitization	None anticipated from normal handling of this product. In clinical use, broncho-constriction, wheezing and dyspnea have occurred in patients with a history of asthma that received doses of 100 mg or more.

11. TOXICOLOGICAL INFORMATION: continued

Reproductive Effects	None anticipated from normal handling of this product. No evidence of impaired fertility due to metoprolol was observed in a study performed in rats at doses up to 55.5 times the maximum daily human dose of 450 mg. Metoprolol has been shown to increase post-implantation loss and decrease neonatal survival in rats at doses up to 55.5 times the maximum daily human dose of 450 mg. Distribution studies in mice confirm exposure of the fetus when metoprolol is administered to the pregnant animal. These studies have revealed no evidence of impaired fertility or teratogenicity.
Mutagenicity	All mutagenicity tests performed (a dominant lethal study in mice, chromosome studies in somatic cells, a Salmonella/mammalian microsome mutagenicity test, and a nucleus anomaly test in somatic interphase nuclei) were negative.
Carcinogenicity	In a 2-year study in rats at three oral dosage levels of up to 800 mg/kg per day, there was no increase in the development of spontaneously occurring benign or malignant neoplasms of any type. The only histologic changes that appeared to be drug related were an increased incidence of generally mild focal accumulation of foamy macrophages in pulmonary alveoli and a slight increase in biliary hyperplasia. In a 21-month study in Swiss albino mice at three oral dosage levels of up to 750 mg/kg per day, benign lung tumors (small adenomas) occurred more frequently in female mice receiving the highest dose than in untreated control animals. There was no increase in malignant or total (benign plus malignant) lung tumors, nor in the overall incidence of tumors or malignant tumors. This 21-month study was repeated in CD-1 mice, and no statistically or biologically significant differences were observed between treated and control mice of either sex for any type of tumor.
Carcinogen Lists	**IARC:** Not listed **NTP:** Not listed **OSHA:** Not listed
Specific Target Organ Toxicity – Single Exposure	NA
Specific Target Organ Toxicity – Repeat Exposure	Based on clinical use, potential target organs include the cardiovascular system, respiratory system, and nervous system.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity	Not determined for product. EC50 = 8.8, 63.9, and 77.5 mg/L in daphnia for metoprolol
Persistence/Biodegradability	Not determined for product. Metoprolol degraded <10% in a Ready Biodegradability test.
Bioaccumulation	Not determined for product.
Mobility in Soil	Not determined for product.

Notes:

13. DISPOSAL CONSIDERATIONS

Waste Disposal	All waste materials must be properly characterized. Further, disposal should be performed in accordance with the federal, state or local regulatory requirements.
Container Handling and Disposal	Dispose of container and unused contents in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

ADR/ADG/ DOT STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA

ICAO/IATA STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA

IMDG STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA

Notes: DOT - US Department of Transportation Regulations

15. REGULATORY INFORMATION

US TSCA Status	Exempt
US CERCLA Status	Not listed
US SARA 302 Status	Not listed
US SARA 313 Status	Not listed
US RCRA Status	Not listed
US PROP 65 (Calif.)	Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65

GHS/CLP Classification*

*In the EU, classification under GHS/CLP does not apply to certain substances and mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in the finished state, intended for the final user.

Hazard Class	Hazard Category	Pictogram	Signal Word	Hazard Statement
NA	NA	NA	NA	NA

Prevention

Do not breathe vapor or spray
Wash hands thoroughly after handling

Response

Get medical attention if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

15. REGULATORY INFORMATION: continued

EU Classification*	*Medicinal products are exempt from the requirements of the EU Dangerous Preparations Directive.
Classification(s)	NA
Symbol	NA
Indication of Danger	NA
Risk Phrases	NA
Safety Phrases	S23: Do not breathe vapor/spray S24: Avoid contact with the skin S25: Avoid contact with eyes S37/39 Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION

Notes:

ACGIH TLV	American Conference of Governmental Industrial Hygienists – Threshold Limit Value
CAS	Chemical Abstracts Service Number
CERCLA	US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act
DOT	US Department of Transportation Regulations
EEL	Employee Exposure Limit
IATA	International Air Transport Association
LD_{50}	Dosage producing 50% mortality
NA	Not applicable/Not available
NE	Not established
NIOSH	National Institute for Occupational Safety and Health
OSHA PEL	US Occupational Safety and Health Administration – Permissible Exposure Limit
Prop 65	California Proposition 65
RCRA	US EPA, Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act
STEL	15-minute Short Term Exposure Limit
STOT - SE	Specific Target Organ Toxicity – Single Exposure
STOT - RE	Specific Target Organ Toxicity – Repeated Exposure
TSCA	Toxic Substance Control Act
TWA	8-hour Time Weighted Average

MSDS Coordinator: Hospira GEHS
Date Prepared: October 19, 2012
Date Revised: June 02, 2014

Disclaimer:
The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.