

Revision date: 08-Mar-2018 Version: 3.2 Page 1 of 10

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Sildenafil citrate tablets

Trade Name: Revatio, VERVENTI Synonyms: Sildenafil citrate tablets

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used for Treatment of pulmonary arterial hypertension

**Details of the Supplier of the Safety Data Sheet** 

Pfizer Inc Pfizer Ltd
Pfizer Pharmaceuticals Group Ramsgate Road
235 East 42nd Street Sandwich, Kent
New York, New York 10017 CT13 9NJ
1-800-879-3477 United Kingdom

United Kingdom +00 44 (0)1304 616161

**Emergency telephone number:** 

**Emergency telephone number:** 

1-877-777-3180

Contact E-Mail: pfizer-MSDS@pfizer.com

International CHEMTREC (24 hours): +1-703-527-3887

# 2. HAZARDS IDENTIFICATION

#### Classification of the Substance or Mixture

**GHS - Classification** 

Serious Eye Damage/Eye Irritation: Category 2B

**Label Elements** 

Signal Word: Warning

Hazard Statements: H320 - Causes eye irritation

Precautionary Statements: P264 - Wash hands thoroughly after handling

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Other Hazards An Occupational Exposure Value has been established for one or more of the ingredients (see

Section 8).

Note: This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

\_\_\_\_\_

Material Name: Sildenafil citrate tablets Page 2 of 10
Revision date: 08-Mar-2018 Version: 3.2

10.00m. date. 30 mai 2010

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

#### **Hazardous**

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Sildenafil citrate	171599-83-0	Not Listed	Acute Tox.4 (H302) Eye Irrit.2B (H320) Aquatic Acute 3 (H402) Aquatic Chronic 3 (H412)	23
Titanium dioxide	13463-67-7	236-675-5	Not Listed	*
Microcrystalline cellulose	9004-34-6	232-674-9	Not Listed	*
Magnesium stearate	557-04-0	209-150-3	Not Listed	*

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Lactose Monohydrate	64044-51-5	Not Listed	Not Listed	*
Triacetin	102-76-1	203-051-9	Not Listed	*
Hydroxypropyl methylcellulose	9004-65-3	Not Listed	Not Listed	*
Croscarmellose sodium	74811-65-7	Not Listed	Not Listed	*
Calcium phosphate dibasic, anhydrous	7757-93-9	231-826-1	Not Listed	*

Additional Information:

\* Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

# 4. FIRST AID MEASURES

**Description of First Aid Measures** 

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

**Inhalation:** Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

**Exposure:** Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

700

Material Name: Sildenafil citrate tablets Page 3 of 10
Revision date: 08-Mar-2018 Version: 3.2

voluion date: de mai 2010

# 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation

Formation of toxic gases is possible during heating or fire.

**Products:** 

**Fine / Explosion Hazards:** Fine particles (such as dust and mists) may fuel fires/explosions.

**Advice for Fire-Fighters** 

During all firefighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

Additional Information: Not applicable

# 6. ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

#### **Environmental Precautions**

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

#### Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

**Additional Consideration for** 

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Cleanup operations should only be undertaken by trained personnel.

# 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken, avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

# Conditions for Safe Storage, Including any Incompatibilities

**Storage Conditions:** Store as directed by product packaging.

Specific end use(s): Pharmaceutical drug product

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

Refer to available public information for specific member state Occupational Exposure Limits.

Sildenafil citrate

Pfizer OEL TWA-8 Hr: 350µg/m<sup>3</sup>

Titanium dioxide

ACGIH Threshold Limit Value (TWA) 10 mg/m<sup>3</sup> Australia TWA 10 mg/m<sup>3</sup>

Material Name: Sildenafil citrate tablets

Page 4 of 10
Revision date: 08-Mar-2018

Version: 3.2

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

COUNT CONTROL OF THE	012011011
Austria OEL - MAKs	5 mg/m <sup>3</sup>
Belgium OEL - TWA	10 mg/m <sup>3</sup>
Bulgaria OEL - TWA	10.0 mg/m <sup>3</sup>
Denmark OEL - TWA	6 mg/m <sup>3</sup>
Estonia OEL - TWA	5 mg/m <sup>3</sup>
France OEL - TWA	10 mg/m <sup>3</sup>
Greece OEL - TWA	10 mg/m <sup>3</sup>
	5 mg/m³
Ireland OEL - TWAs	10 mg/m <sup>3</sup>
	4 mg/m <sup>3</sup>
Latvia OEL - TWA	10 mg/m <sup>3</sup>
Lithuania OEL - TWA	5 mg/m³
OSHA - Final PELS - TWAs:	15 mg/m <sup>3</sup>
Poland OEL - TWA	10.0 mg/m <sup>3</sup>
Portugal OEL - TWA	10 mg/m <sup>3</sup>
Romania OEL - TWA	10 mg/m <sup>3</sup>
Russia OEL - TWA	10 mg/m <sup>3</sup>
Spain OEL - TWA	10 mg/m <sup>3</sup>
Sweden OEL - TWAs	5 mg/m <sup>3</sup>
Switzerland OEL -TWAs	3 mg/m <sup>3</sup>
Vietnam OEL - TWAs	6 mg/m <sup>3</sup>
	5 mg/m <sup>3</sup>

# Calcium phosphate dibasic, anhydrous

Latvia OEL - TWA 10 mg/m<sup>3</sup>

#### Microcrystalline cellulose

**ACGIH Threshold Limit Value (TWA)** 10 mg/m<sup>3</sup> 10 mg/m<sup>3</sup> **Australia TWA**  $10 \text{ mg/m}^3$ **Belgium OEL - TWA Estonia OEL - TWA** 10 mg/m<sup>3</sup> France OEL - TWA 10 mg/m<sup>3</sup> 10 mg/m<sup>3</sup> **Ireland OEL - TWAs**  $4 \text{ mg/m}^3$ Latvia OEL - TWA  $2 \text{ mg/m}^3$ **OSHA - Final PELS - TWAs:** 15 mg/m<sup>3</sup> Portugal OEL - TWA 10 mg/m<sup>3</sup> Romania OEL - TWA 10 mg/m<sup>3</sup> **Russia OEL - TWA**  $6 \text{ mg/m}^3$ Spain OEL - TWA 10 mg/m<sup>3</sup> **Switzerland OEL -TWAs**  $3 \text{ mg/m}^3$ **Vietnam OEL - TWAs** 10 mg/m<sup>3</sup> 5 mg/m<sup>3</sup>

Magnesium stearate

Lithuania OEL - TWA 5 mg/m<sup>3</sup>
Sweden OEL - TWAs 5 mg/m<sup>3</sup>

#### **Exposure Controls**

**Engineering Controls:** Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Material Name: Sildenafil citrate tablets Page 5 of 10 Revision date: 08-Mar-2018 Version: 3.2

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to applicable national standards and regulations in the selection and use of personal **Personal Protective Equipment:** 

protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and

specific operational processes.

Hands: Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is

possible and for bulk processing operations. (Protective gloves must meet the standards in

accordance with EN374, ASTM F1001 or international equivalent.)

Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the Eyes:

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations. (Protective clothing must meet the standards in accordance

with EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

> exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international

> > Mixture

equivalent.)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State: Tablet** Color: White

No data available. **Odor Threshold:** No data available. Odor:

Mixture **Molecular Weight:** Molecular Formula:

No data available **Solvent Solubility:** Water Solubility: No data available :Ha No data available. Melting/Freezing Point (°C): No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

Calcium phosphate dibasic, anhydrous

No data available

Microcrystalline cellulose

No data available Magnesium stearate No data available

Croscarmellose sodium

No data available Sildenafil citrate

Predicted 7.4 Log D 2.26

Hydroxypropyl methylcellulose

No data available Titanium dioxide

No data available

**Lactose Monohydrate** 

No data available

**Triacetin** 

No data available

**Decomposition Temperature (°C):** No data available.

**Evaporation Rate (Gram/s):** No data available Vapor Pressure (kPa): No data available

Material Name: Sildenafil citrate tablets

Revision date: 08-Mar-2018

Version: 3.2

Vapor Density (g/ml):No data availableRelative Density:No data availableViscosity:No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available
No data available

# 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

**Possibility of Hazardous Reactions** 

Oxidizing Properties: No data available Conditions to Avoid: None known

**Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

# 11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

**General Information:** The information included in this section describes the potential hazards of the individual

ingredients.

**Short Term:** Active ingredient may be harmful if swallowed. May cause eye irritation. (based on

components).

Long Term: Animal studies indicate that this material may cause adverse effects on the cardiovascular

system.

Known Clinical Effects: Adverse effects most commonly reported in clinical use include difficult digestion (dyspepsia),

nose bleed, headache, flushing, insomnia, abnormal redness of skin (erythema), difficulty breathing, muscle pain fever, gastrointestinal irritation, tingling/itching (paresthesia), transient

changes in light perception and color vision, effects on hearing, and effects on vision.

#### Acute Toxicity: (Species, Route, End Point, Dose)

#### Microcrystalline cellulose

Rat Oral LD50 > 5000 mg/kg Rabbit Dermal LD50 > 2000 mg/kg

Magnesium stearate

Rat Oral LD50 > 2000 mg/kg Rat Inhalation LC50 > 2000 mg/m<sup>3</sup>

Sildenafil citrate

Rat Oral LDmin. 300-500 mg/kg Mouse Oral LDmin. 500-1000 mg/kg Rat Dermal LD50 > 2000 mg/kg

Hydroxypropyl methylcellulose

Rat Oral LD50 > 10,000 mg/kg

700

Material Name: Sildenafil citrate tablets Page 7 of 10
Revision date: 08-Mar-2018 Version: 3.2

Totalon data so mai zoto

# 11. TOXICOLOGICAL INFORMATION

#### Titanium dioxide

Rat Oral LD50 > 7500 mg/kg Rat Subcutaneous LD50 50 mg/kg

#### **Lactose Monohydrate**

Rat Oral LD 50 29700 mg/kg

#### **Triacetin**

Rat Oral LD 50 3000 mg/kg Mouse Oral LD 50 1100mg/kg

**Acute Toxicity Comments:** 

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

# Irritation / Sensitization: (Study Type, Species, Severity)

### Microcrystalline cellulose

Skin Irritation Rabbit Non-irritating Eye Irritation Rabbit Non-irritating

### Sildenafil citrate

Eye Irritation Rabbit Moderate
Skin Irritation Rabbit Non-irritating
Skin Sensitization Guinea Pig Negative

#### Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

### Sildenafil citrate

6 Month(s) Rat Oral 3 mg/kg/day NOAEL Adrenal gland, Liver, Thyroid 6 Month(s) Dog Oral 15 mg/kg/day NOAEL Cardiovascular system

# Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

#### Sildenafil citrate

Reproductive & Fertility Rat Oral 60 mg/kg/day NOEL No effects at maximum dose

Embryo / Fetal Development Rat Oral 50 mg/kg/day NOEL Maternal Toxicity, Not Teratogenic Embryo / Fetal Development Rabbit Oral 50 mg/kg/day NOEL Maternal Toxicity, Not Teratogenic

### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

#### Sildenafil citrate

In Vitro Bacterial Mutagenicity (Ames) Salmonella Negative

In Vitro Cytogenetics Human Lymphocytes Negative

In Vivo Micronucleus Chromosome Aberration Mouse Bone Marrow Negative

### **Lactose Monohydrate**

In Vitro Bacterial Mutagenicity (Ames) Salmonella, E. coli Negative

#### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### Sildenafil citrate

700

739

Material Name: Sildenafil citrate tablets

Revision date: 08-Mar-2018

Version: 3.2

# 11. TOXICOLOGICAL INFORMATION

24 Month(s) Mouse Oral 5 mg/kg/day NOAEL Not carcinogenic 24 Month(s) Rat Oral 60 mg/kg/day NOAEL Not carcinogenic

Carcinogen Status: See below

Titanium dioxide

IARC: Group 2B (Possibly Carcinogenic to Humans)

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** In the environment, the active ingredient in this formulation is expected to remain in water or

migrate through the soil to groundwater.

**Toxicity:** 

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Sildenafil citrate

Daphnia magna (Water Flea) TAD EC50 48 Hours 14 mg/L

Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours > 9.5 mg/L Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 Hours 20 mg/L

Aquatic Toxicity Comments: A greater than (>) symbol indicates that acute ecotoxicity was not observed at the maximum

solubility. Since the substance is insoluble in aqueous solutions above this concentration, an

acute ecotoxicity value (i.e. LC/EC50) is not achievable.

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Sildenafil citrate

Activated sludge OECD EC50 > 1000 mg/L

Persistence and Degradability: No data available

**Bio-accumulative Potential:** 

Partition Coefficient: (Method, pH, Endpoint, Value)

Sildenafil citrate

Predicted 7.4 Log D 2.26

Mobility in Soil: No data available

# 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

Material Name: Sildenafil citrate tablets Page 9 of 10 Revision date: 08-Mar-2018 Version: 3.2

# 14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

# 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Lactose	Mono	hydrate
---------	------	---------

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Australia (AICS): Present **EU EINECS/ELINCS List** Not Listed

#### **Triacetin**

Not Listed **CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present **EU EINECS/ELINCS List** 203-051-9

### Hydroxypropyl methylcellulose

**CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Not Listed Inventory - United States TSCA - Sect. 8(b) Present Australia (AICS): Present Standard for the Uniform Scheduling Schedule 4

for Drugs and Poisons:

**EU EINECS/ELINCS List** Not Listed

#### Croscarmellose sodium

Not Listed **CERCLA/SARA 313 Emission reporting California Proposition 65** Not Listed Australia (AICS): Present **EU EINECS/ELINCS List** Not Listed

#### Sildenafil citrate

**CERCLA/SARA 313 Emission reporting** Not Listed **California Proposition 65** Not Listed **EU EINECS/ELINCS List** Not Listed

#### Titanium dioxide

**CERCLA/SARA 313 Emission reporting** Not Listed

Material Name: Sildenafil citrate tablets

Revision date: 08-Mar-2018

Version: 3.2

# 15. REGULATORY INFORMATION

California Proposition 65 carcinogen 9/2/2011 airborne, unbound particles of respirable size

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

Present
236-675-5

Calcium phosphate dibasic, anhydrous

Microcrystalline cellulose

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Magnesium stearate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Present

209-150-3

# 16. OTHER INFORMATION

#### Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed

Serious eye damage/eye irritation-Cat. 2B; H320 - Causes eye irritation

Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Hazardous to the aquatic environment, chronic toxicity-Cat.3; H412 - Harmful to aquatic life with long lasting effects

**Data Sources:** Pfizer proprietary drug development information. Safety data sheets for individual ingredients.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 1 - Identification of the

Substance/Preparation and the Company/Undertaking. Updated Section 8 - Exposure Controls

/ Personal Protection.

Revision date: 08-Mar-2018

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet** 

\_\_\_\_\_